

Eni i-Sint tech VV 0W-20



APPLICATIONS

Eni i-Sint tech VV 0W-20 is a synthetic technology lubricant developed for specific Volvo gasoline and diesel engines of passenger cars.

CUSTOMER ADVANTAGES

- The peculiar additive technology of **Eni i-Sint tech VV 0W-20** (Low SAPS) guarantees the highest protection of Diesel Particulate Filter (DPF).
- Furthermore, it guarantees the best engine protection, reducing wear even in the most extreme operating conditions so that the original engine performance is preserved.
- The high fluidity ensures the best overall engine lubrication reducing friction and actively contributing to fuel economy with a simultaneous reduction of carbon dioxide (CO₂) emissions.
- Eni i-Sint tech **Eni i-Sint tech VV 0W-20** ensures, due to its extremely high fluidity, excellent cold start even at very low temperatures always guaranteeing the best lubrication to engine components.

SPECIFICATIONS AND APPROVALS

- Volvo RBS0-2AE
- ACEA C5



Eni i-Sint tech VV 0W-20



CHARACTERISTICS

Properties	Method	Unit of Measure	Typical
Appearance	APM 27	-	clear
Density at 15°C	ASTM D 4052	kg/m ³	853
Viscosity at 100°C	ASTM D 445	mm ² /s	8.3
Viscosity Index	ASTM D 2270	-	171
Viscosity at -30°C	ASTM D 5293	mPa·s	6000
Flash point (COC)	ASTM D 92	°C	216
Pour point	ASTM D 97	°C	-36

